Post-Surgical Home Instructions

Diet

- ✓ Give only small amounts of water frequently (every 15-30 minutes)
- ✓ Only small amounts of food after surgery
- ✓ Return to regular diet the following morning

Activity

- ✓ Drowsiness may occur today and tomorrow
- ✓ Normal activity within reason (recommend monitoring patient for 24-48hrs)

Incision Care

- ✓ Watch incision for swelling, redness or drainage. (Apply Animax or Neosporin)
- ✓ Keep patient in a clean environment
- ✓ Do not allow patient to lick or chew incision (e-collars are available)

Other Instructions

- ✓ Sutures should dissolve in 3-4 weeks unless stainless steels are used (call clinic if they haven't)
- ✓ Use shredded paper in the litter box for 4-7 days for declawed cats.
- ✓ Notify us if you observe any of the following:
 - Loss of appetite for MORE than 2 days
 - > Refusal to drink water for MORE than 1 day
 - > Weakness or depression
 - ➤ Vomiting or diarrhea AFTER 24 hours

Doctor's Special Instructions:
We recommend keeping all neutered males AWAY from any female who is in heat for AT LEAST weeks after the neuter. The breeding capability is still a possibility.
Medications:

We make every effort to avoid complications, but unexpected problems can always occur. Complications might include infection, wound breakdown or chewing out sutures. The owner is responsible for any and all charges resulting from any complication of the surgical procedure beyond our control.

Old Hatchie Veterinary Clinic 1017 North Main Street Bolivar, Tennessee 38008 731-658-3555

